

PRICE LIST
MITSUBISHI HUMAN MACHINE INTERFACE PRODUCT

<u>MODEL</u>	<u>DESCRIPTION</u>	(HK\$) <u>UNIT PRICE</u>
-[GT11(-C) MAIN DISPLAY UNITS]		
GT1175-VNBA-C	10.4" 256 COLOR TFT AC INPUT (RS422/232) + 3MB MEMORY	21,270
GT1165-VNBA-C	8.4" 256 COLOR TFT AC INPUT (RS422/232) + 3MB MEMORY	17,020
GT1155-QSBD	5.7" 256 COLOR STN DC INPUT (RS422/232) + 3MB MEMORY + CF CARD	13,550
GT1155-QSBD-C	5.7" 256 COLOR STN DC INPUT (RS422/232) + 3MB MEMORY	8,870
GT1150-QLBD	5.7" 16 GRAY SCALES DC INPUT (RS422/232) + 3MB MEMORY + CF CARD	9,420
GT1150-QBBD-C	5.7" 16 BLUE SCALES DC INPUT (RS422/232) + 3MB MEMORY	6,090
- [GT11(-C) CABLES & OPTIONS]		
GT09-C20USB-5P	USB DATA TRANSMISSION CABLE 2M	1,060
GT01-C30R4-8P	FX CPU CONNECTION CABLE (RS422) 3M	1,060
GT01-C100R4-8P	FX CPU CONNECTION CABLE (RS422) 10M	1,770
GT01-C200R4-8P	FX CPU CONNECTION CABLE (RS422) 20M	1,950
GT01-C300R4-8P	FX CPU CONNECTION CABLE (RS422) 30M	2,210
GT01-C30R2-9S	FX CONNECTION CABLE (RS232C)	1,500
GT11-50BAT	BATTERY FOR GT11	400
GT11-50FNB	OPTIONAL FUNCTION BOARD	450
-[F900GOT/FX DU MAIN DISPLAY UNITS]		
F940WGOT-TWD-C	7" 256 COLOR TFT DC INPUT (CHINESE)	13,540
F940GOT-SWD-C	5.7" 8 COLOR STN DC INPUT (RS422/232C)	8,870
F940GOT-LWD-C	5.7" 2 COLOR B&W STN DC INPUT (RS422/232C)	6,090
F940GOT-BWD-C	5.7" 2 COLOR BLUE&WHITE STN DC INPUT (RS422/232C)	5,780
F930GOT-BWD-C	4.4" 2 COLOR B&W STN DC INPUT (RS422/232C)	3,350
F930GOT-BBD-K-C	4.4" 2 COLOR B&W STN DC INPUT (RS422/232C) WITH KEYPADS	4,300
F920GOT-BBD5-K-C	2.6" 2 COLOR B&W STN DC INPUT (RS422/232C) WITH KEYPADS	1,710
FX-10DU-E	DATA ACCESS UNIT (LCD 16 CHARACTERS X 2 LINES)	1,880
FX-10DM-E	DISPLAY MODULE (LCD 16 CHARACTERS X 2 LINES)	1,550
FX1N-5DM	DISPLAY MODULE FOR FX1S/1N PLC	450
- [F900GOT/FX DU CABLES & OPTIONS]		
F2-232CAB-1	TRANSFER CABLE BETWEEN COMPUTER AND DATA ACCESS UNIT	1,320
FX-232CAB-1	DATA TRANSFER CABLE BETWEEN COMPUTER AND FGOT	1,140
FX-50DU-CAB0-10M	CONNECTION CABLE BETWEEN FGOT & FX CPU (10M)	1,490
FX-50DU-CAB0	CONNECTION CABLE BETWEEN FGOT & FX CPU/ POSITIONING UNIT (3M)	1,270
FX-50DU-CAB0-R1	CONNECTION CABLE BETWEEN F940 & CPU(FX1S/1N/2N)	140
F9GT-40PSC	PROTECTION SHEETS FOR F940GOT	250
F9GT-30PSC	PROTECTION SHEETS FOR F930GOT	250
F9GT-40FMB	SCREEN DATA TRANSFER BOARD FOR F940WGOT/ F940GOT	1,280
F9GT-40UMB	SCREEN DATA TRANSFER BOARD FOR F940GOT	840
PM-20BL	BATTERY FOR F940WGOT/ F940GOT	490
FX2NC-32BL	BATTERY FOR F930GOT(-K)/ HANDY GOT	330
-[PROGRAMMING SOFTWARE]		
SW2D5C-GTWK2-CL	GT WORKS2 CHINESE VERSION2 (GOT1000 & GOT900)	4,940
SW2D5C-GTWK2-E	GT WORKS2 ENGLISH VERSION2 (GOT1000 & GOT900)	4,940
SW2D5C-GTD2-E	GOT900 PROGRAMMING SOFTWARE	2,960
A9GTSOFT-LKEY-P	LICENSE KEY FOR SOFTGOT TO PERSONAL COMPUTER	14,800

* The above prices are subject to change without prior notice

HMI-(1/5)

PRICE LIST
MITSUBISHI HUMAN MACHINE INTERFACE PRODUCT

<u>MODEL</u>	<u>DESCRIPTION</u>	(HK\$) <u>UNIT PRICE</u>
-[GOT1000 MAIN UNITS]		
GT1595-XTBA	15" XGA 256 COLOR TFT AC INPUT (65,536 COLOR - OPTIONAL)	57,440
GT1585-STBA	12.1" SVGA 256 COLOR TFT AC INPUT (65,536 COLOR - OPTIONAL)	41,040
GT1585-STBD	12.1" SVGA 256 COLOR TFT DC INPUT (65,536 COLOR - OPTIONAL)	42,070
GT1575-VNBA	10.4" VGA 256 COLOR TFT AC INPUT	22,540
GT1575-VNBD	10.4" VGA 256 COLOR TFT DC INPUT	23,290
GT1562-VNBA	8.4" VGA 16 COLOR TFT AC INPUT	19,440
GT1562-VNBD	8.4" VGA 16 COLOR TFT DC INPUT	20,330

-[GOT1000 COMMUNICATION INTERFACE]

GT15-75QBUSL	Q-BUS (1CH) UNIT SLIM MODEL FOR QCPU (Q-MODE)	1,770
GT15-75QBUS2L	Q-BUS (2CH) UNIT SLIM MODEL FOR QCPU (Q-MODE)	2,650
GT15-QBUS	Q-BUS (1CH) UNIT STANDARD MODEL FOR QCPU (Q-MODE)	2,210
GT15-QBUS2	Q-BUS (2CH) UNIT STANDARD MODEL FOR QCPU (Q-MODE)	3,100
GT15-75ABUSL	A-BUS (1CH) UNIT SLIM MODEL FOR QnA/ACPU	1,770
GT15-75ABUS2L	A-BUS (2CH) UNIT SLIM MODEL FOR QnA/ACPU	2,650
GT15-ABUS	A-BUS (1CH) UNIT STANDARD MODEL FOR QnA/ACPU	2,210
GT15-ABUS2	A-BUS (2CH) UNIT STANDARD MODEL FOR QnA/ACPU	3,100
GT15-J71E71-100	ETHERNET (100BASE-TX/10BASE-T) UNIT	2,650
GT15-75J71LP23-Z	OPTICAL LOOP UNIT	10,610
GT15-75J71BR13-Z	COAXIAL BUS UNIT	10,610
GT15-75J61BT13-Z	INTELLIGENT DEVICE STATION UNIT	5,310

- [GOT1000 OPTIONS]

GT15-FNB	OPTIONAL FUNCTION BOARD (A/FX LADDER MONITOR)	1,770
GT15-QFNB	OPTIONAL FUNCTION BOARD (Q/QnA/A/FX LADDER MONITOR)	2,650
GT15-QFNB16M	OPTIONAL FUNCTION BOARD (Q/QnA/A/FX LADDER MONITOR) + 16MB	4,860
GT05-MEM-ADPC	CF CARD -> MEMORY CARD (TYPE II) CONVERSION ADAPTOR	890
GT15-XHNB	MULTI-COLOR DISPLAY BOARD FOR 65,536 COLOR DISPLAY	3,980
GT15-90XLTT	BACKLIGHT FOR 15" TYPE HIGH-BRIGHTNESS TFT (XGA)	3,100
GT15-80SLTT	BACKLIGHT FOR 12.1" TYPE HIGH-BRIGHTNESS TFT (SVGA)	1,590
GT15-70VLTN	BACKLIGHT FOR 10.4" TYPE TFT (VGA)	1,590
GT15-60VLTN	BACKLIGHT FOR 8.4" TYPE TFT (VGA)	1,590
GT15-BAT	BATTERY FOR GT15	360

- [GOT1000 CABLES]

GT09-C20USB-5P	USB DATA TRANSMISSION CABLE 2M	1,060
GT01-C30R2-6P	Q CPU CONNECTION CABLE (RS232C) 3M	1,500
GT15-QC12B	Q BUS CONNECTION CABLE 1.2M	790
GT15-QC30B	Q BUS CONNECTION CABLE 3M	1,260
GT15-QC50B	Q BUS CONNECTION CABLE 5M	1,890
GT15-QC100B	Q BUS CONNECTION CABLE 10M	3,140
GT15-QC150BS	Q BUS LONG DISTANCE CONNECTION CABLE 15M	3,460
GT15-QC200BS	Q BUS LONG DISTANCE CONNECTION CABLE 20M	4,160
GT15-QC250BS	Q BUS LONG DISTANCE CONNECTION CABLE 25M	4,950
GT15-QC300BS	Q BUS LONG DISTANCE CONNECTION CABLE 30M	5,730
GT15-QC350BS	Q BUS LONG DISTANCE CONNECTION CABLE 35M	6,600

PRICE LIST
MITSUBISHI HUMAN MACHINE INTERFACE PRODUCT

<u>MODEL</u>	<u>DESCRIPTION</u>	(HK\$) <u>UNIT PRICE</u>
-[A900GOT MAIN DISPLAY UNITS (8.9" - 12.1")]		
A985GOT-TBA-V	12.1" 256 COLOR TFT AC INPUT (VIDEO/RGB INPUT)	43,120
A985GOT-TBD-V	12.1" 256 COLOR TFT DC INPUT (VIDEO/RGB INPUT)	43,120
A985GOT-TBA	12.1" 256 COLOR TFT AC INPUT	37,240
A985GOT-TBD	12.1" 256 COLOR TFT DC INPUT	37,240
A975GOT-TBA-CH	10.4" 256 COLOR TFT AC INPUT (SUPPORT CERTIFIED CHINESE FONT)	26,500
A975GOT-TBD-CH	10.4" 256 COLOR TFT DC INPUT (SUPPORT CERTIFIED CHINESE FONT)	26,500
A970GOT-TBA-CH	10.4" 16 COLOR TFT AC INPUT (SUPPORT CERTIFIED CHINESE FONT)	20,000
A970GOT-TBD-CH	10.4" 16 COLOR TFT DC INPUT (SUPPORT CERTIFIED CHINESE FONT)	20,000
-[A900GOT MAIN DISPLAY UNITS]		
A950GOT-TBD	5.7" 256 COLOR TFT DC INPUT (RS422)	19,510
A950GOT-SBD-B	5.7" 8 COLOR STN DC INPUT (RS422)	14,130
A950GOT-LBD	5.7" 2 COLOR B&W STN DC INPUT (RS422)	10,750
A950GOT-TBD-M3	5.7" 256 COLOR TFT DC INPUT (RS422) + 3M MEMORY	21,970
A950GOT-SBD-M3-B	5.7" 8 COLOR STN DC INPUT (RS422) + 3M MEMORY	15,930
A950GOT-LBD-M3	5.7" 2 COLOR B&W STN DC INPUT (RS422) + 3M MEMORY	12,750
A951GOT-QTBD	5.7" 256 COLOR TFT DC INPUT (Q BUS)	19,300
A951GOT-QSBD-B	5.7" 8 COLOR STN DC INPUT (Q BUS)	13,150
A951GOT-QLBD	5.7" 2 COLOR B&W STN DC INPUT (Q BUS)	9,860
A951GOT-QTBD-M3	5.7" 256 COLOR TFT DC INPUT (Q BUS) + 3M MEMORY	21,970
A951GOT-QSBD-M3-B	5.7" 8 COLOR STN DC INPUT (Q BUS) + 3M MEMORY	16,420
A951GOT-QLBD-M3	5.7" 2 COLOR B&W STN DC INPUT (Q BUS) + 3M MEMORY	13,150
A951GOT-SBD-B	5.7" 8 COLOR STN DC INPUT (BUS)	11,500
A951GOT-LBD	5.7" 2 COLOR B&W STN DC INPUT (BUS)	9,460
A951GOT-SBD-M3-B	5.7" 8 COLOR STN DC INPUT (BUS) + 3M MEMORY	13,080
A951GOT-LBD-M3	5.7" 2 COLOR B&W STN DC INPUT (BUS) + 3M MEMORY	11,020
A953GOT-SBD-B	5.7" 8 COLOR STN DC INPUT (RS232C)	12,750
A953GOT-LBD	5.7" 2 COLOR B&W STN DC INPUT (RS232C)	9,460
A953GOT-SBD-M3-B	5.7" 8 COLOR STN DC INPUT (RS232C) + 3M MEMORY	14,130
A953GOT-LBD-M3	5.7" 2 COLOR B&W STN DC INPUT (RS232C) + 3M MEMORY	10,750
A956GOT-TBD	5.7" 256 COLOR TFT DC INPUT	19,300
A956GOT-SBD-B	5.7" 8 COLOR STN DC INPUT	14,130
A956GOT-LBD	5.7" 2 COLOR B&W STN DC INPUT	10,750
A956GOT-SBD-M3-B	5.7" 8 COLOR STN DC INPUT + 3M MEMORY	15,930
A956GOT-LBD-M3	5.7" 2 COLOR B&W STN DC INPUT + 3M MEMORY	12,750
A956WGOT-TBD	7" 256 COLOR TFT DC INPUT	17,380

PRICE LIST
MITSUBISHI HUMAN MACHINE INTERFACE PRODUCT

<u>MODEL</u>	<u>DESCRIPTION</u>	(HK\$) <u>UNIT PRICE</u>
-[A900GOT COMMUNICATION ADAPTERS]		
A9GT-BUSS	BUS CONNECTION BOARD AnS/A/QnA/QnAS CPU	1,540
A9GT-BUSSU	QnA/ACPU BUS CONNECTION MODULE, 1 CONNECTOR, CE-COMPLIANT	1,580
A9GT-BUS2S	BUS CONNECTION BOARD AnS/A/QnA/QnAS CPU (MORE THAN 1 GOT)	1,990
A9GT-BUS2SU	QnA/ACPU BUS CONNECTION MODULE, FOR AGOT, 2 CONNECTORS	2,400
A9GT-QBUSS	QCPU BUS CONNECTION, FOR A985/975/970/960GOT, 1 CONNECTOR	1,600
A9GT-QBUS2S	QCPU BUS CONNECTION, FOR A985/975/970/960GOT, 2 CONNECTORS	2,390
A9GT-QBUS2SU	QCPU (Q MODE) BUS CONNECTION, FOR AGOT, 2 CONNECTORS	2,550
A9GT-50WQBUSS	QCPU (Q MODE) BUS CONNECTION, FOR A965WGOT, 1 CONNECTOR	1,800
A9GT-RS4	RS-422 CONNECTION BOARD	1,270
A9GT-RS2	RS-232 CONNECTION BOARD	1,270
A9GT-RS2T	RS-232C CONNECTION, WITH BUILT-IN CLOCK FUNCTION	2,160
A9GT-80R1	INTERFACE FOR ANALOG RGB INPUT	4,130
A9GT-80V4	INTERFACE FOR NTSC/PAL INPUT	4,130
A7GT-J71AP23	CONNECTION TO MELSECNET II FIBER OPTIC NETWORK	9,550
A7GT-J71AR23	CONNECTION TO MELSECNET II COAXIAL NETWORK	9,550
A7GT-J71AT23B	CONNECTION TO MELSECNET/B TWISTED PAIR NETWORK	6,370
A8GT-J61BT13	CONNECTION TO CC-LINK (INTELLIGENT DEVICE)	4,710
A8GT-J61BT15	CONNECTION TO CC-LINK (REMOTE DEVICE)	1,570
A9GT-QJ71LP23	CONNECTION TO MELSECNET/10 FIBER OPTIC NETWORK FOR QnA	9,550
A9GT-QJ71BR13	CONNECTION TO MELSECNET/10 COAXIAL NETWORK FOR QnA	9,550
A9GT-J71E71-T	ETHERNET CONNECTION (10 BASE-T)	2,390
-[A900GOT MEMORY CASSETTE]		
A9GT-FNB	OPTION FOR EXTENDED O.S. (A/FX LADDER MONITOR)	1,540
A9GT-FNB1M	OPTION FOR EXTENDED O.S. + 1M MEMORY (A/FX LADDER MONITOR)	2,320
A9GT-FNB2M	OPTION FOR EXTENDED O.S. + 2M MEMORY (A/FX LADDER MONITOR)	4,640
A9GT-FNB4M	OPTION FOR EXTENDED O.S. + 4M MEMORY (A/FX LADDER MONITOR)	6,960
A9GT-FNB8M	OPTION FOR EXTENDED O.S. + 8M MEMORY (A/FX LADDER MONITOR)	9,570
A9GT-QFNB	OPTION FOR EXTENDED O.S. (A/FX SERIES PLC)	2,390
A9GT-QFNB4M	OPTION FOR EXTENDED O.S. + 4M MEMORY (QnA/A/FX LADDER MONITOR)	7,170
A9GT-QFNB8M	OPTION FOR EXTENDED O.S. + 8M MEMORY (QnA/A/FX LADDER MONITOR)	9,910
A9GTMEM-20MF	MEMORY CAPACITY 32M byte FLASH PC CARD	8,700
A9GTMEM-40MF	MEMORY CAPACITY 64M byte FLASH PC CARD	14,350
-[A900GOT CONSUMABLE ACCESSORIES]		
A9GT-80PSC	TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A985GOT	580
A9GT-80PSCL	TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A985GOT	580
A9GT-70PSC	TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A97XGOT	420
A9GT-70PSCL	TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A97XGOT	420
A9GT-60PSC	TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A960GOT	390
A9GT-60PSCL	TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A960GOT	390
A9GT-50PSC	TRANSPARENCY PROTECT SHEET (5 SHEETS) FOR A95XGOT (-M3)	480
A9GT-70STAND	A97XGOT, A960GOT DESKTOP STAND	1,930
A9GT-70LTCH	SPARE BACK LIGHT FOR A97xGOT-CH LCD, TFT, 2QTY	620
A9GT-70LTS	SPARE BACK LIGHT FOR A97XGOT LCD, STN, 2QTY	620
A9GT-70KBF	EXTERNAL I/O INTERFACE UNIT FOR A985/975/970/960GOT(-B)	2,950
A8GT-50KBF	EXTERNAL I/O INTERFACE UNIT FOR A95XGOT(-M3)/A956WGOT	2,900

PRICE LIST
MITSUBISHI HUMAN MACHINE INTERFACE PRODUCT

<u>MODEL</u>	<u>DESCRIPTION</u>	(HK\$) <u>UNIT PRICE</u>
-[A900GOT CABLES]		
AC30R4-25P	3M RS422 CABLE FOR CPU CONNECTION (AnS/A/QnA/QnAS/FX2)	1,860
AC100R4-25P	10M RS422 CABLE FOR CPU CONNECTION (AnS/A/QnA/QnAS/FX2)	2,760
AC300R4-25P	30M RS422 CABLE FOR CPU CONNECTION (AnS/A/QnA/QnAS/FX2)	4,610
FX9GT-CAB0-150	1.5M CONNECTION CABLE BETWEEN GOT AND CPU (FX1S/1N/2N)	430
FX9GT-CAB0	3M CONNECTION CABLE BETWEEN GOT AND CPU (FX1S/1N/2N)	560
FX9GT-CAB0-10M	10M CONNECTION CABLE BETWEEN GOT AND CPU (FX1S/1N/2N)	620
A8GT-C12NB	1.2M BUS CONNECTION (A/Q CPU)	1,200
A8GT-C30NB	3M BUS CONNECTION (A/Q CPU)	1,840
A8GT-C50NB	5M BUS CONNECTION (A/Q CPU)	2,010
A8GT-C100EXSS-1	10M BUS CONNECTION (AnS/QnAS CPU)	3,600
A8GT-C200EXSS-1	20M BUS CONNECTION (AnS/QnAS CPU)	5,210
A8GT-C300EXSS-1	30M BUS CONNECTION (AnS/QnAS CPU)	6,800
A8GT-C100BS	10M BUS CABLE FOR GOT/GOT BUS CONNECTION	2,400
A8GT-C200BS	20M BUS CABLE FOR GOT/GOT BUS CONNECTION	4,010
A8GT-C300BS	30M BUS CABLE FOR GOT/GOT BUS CONNECTION	5,600
A9GT-QC150BS	15M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT	3,530
A9GT-QC200BS	20M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT	4,260
A9GT-QC250BS	25M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT	5,040
A9GT-QC300BS	30M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT	5,850
A9GT-QC350BS	35M CONNECTION CABLE FOR A9GT-QCNB/GOT AND GOT	6,730
A1SC07B	0.7M BUS CONNECTION (AnS/QnAS CPU)	590
A1SC12B	1.2M BUS CONNECTION (AnS/QnAS CPU)	850
A1SC30B	3M BUS CONNECTION (AnS/QnAS CPU)	1,350
A1SC50B	5M BUS CONNECTION (AnS/QnAS CPU)	1,990
AC06B	0.6M BUS CONNECTION (A/QnA CPU & A7GT-CNB)	790
AC12B	1.2M BUS CONNECTION (A/QnA CPU & A7GT-CNB)	1,200
AC30B	3M BUS CONNECTION (A/QnA CPU & A7GT-CNB)	1,600
AC50B	5M BUS CONNECTION (A/QnA CPU & A7GT-CNB)	1,990
AC12B-R	1.2M RIGHT-ANGELD BUS CONNECTION (A/QnA CPU & A7GT-CNB)	1,380
AC30B-R	3M RIGHT-ANGELD BUS CONNECTION (A/QnA CPU & A7GT-CNB)	1,860
AC50B-R	5M RIGHT-ANGELD BUS CONNECTION (A/QnA CPU & A7GT-CNB)	2,310
A7GT-CNB	LONG DISTANCE BUS/CONNECTOR CONVERSION BOX (A/QnA CPU)	960
AC300PIO-20P	30M PRINTER CONNECTION	3,310
AC30PIO-20P	3M PRINTER CONNECTION	1,380
AC30R2-9P	3M DATA TRANSFER CABLE (D-SUB 9 PIN/25 PIN)	1,620
AC30R2-9SS	3M DATA TRANSFER CABLE (D-SUB 9 PIN/9 PIN)	1,620
A9GT-QCNB	LONG DISTANCE BUS EXTENSION CONNECTION BOX (QCPU)	960